

SAFETY DATA SHEET

Section 1. Identification of the material and the supplier

Product: HDP 6S (Formerly Hatuma Dicalcic Phosphate No 9S)

Product Use: Fertiliser

Restriction of Use: Refer to Section 15

New Zealand Supplier: Hatuma Lime Company Ltd

Address: 520 Maharakeke Road RD1, Waipukurau, 4281

Telephone: +64 6 858-8567 Fax Number: +64 6 858-8018

Emergency Telephone: 0800 764 766 (National Poison Centre)

Date of SDS Preparation: 1 March 2023 v2

Section 2. Hazards Identification

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval No: Fertilisers (subsidiary) - HSR002571

Pictograms



Irritant Corrosive

Signal Word: **DANGER**

| GHS Classification and Category | Hazard Code | Hazard Statement |
|--|-------------|-----------------------------------|
| Skin irritation Cat. 2 | H315 | Causes skin irritation. |
| specific target organ toxicity – single exposure Cat. 3 respiratory tract irritation | H335 | May cause respiratory irritation. |
| Serious eye damage Cat. 1 | H318 | Causes serious eye damage. |

| Prevention Code | Prevention Statement |
|------------------------|---|
| P102 | Keep out of reach of children. |
| P103 | Read label before use. |
| P261 | Avoid breathing dusts. |
| P264 | Wash hands thoroughly after handling. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P280 | Wear protective clothing. |

| Response Code | Response Statement |
|---------------|---|
| P101 | If medical advice is needed, have product container or label at hand. |

Product Name: HDP 6S SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 1 March 2023 Tel: 64 9 475 5240 www.techcomp.co.nz

Page 1

| P310 | Immediately call a POISON CENTER or doctor/physician. |
|-------------|--|
| P312 | Call a POISON CENTER or doctor/physician if you feel unwell. |
| P362 | Take off contaminated clothing and wash before re-use. |
| P391 | Collect spillage. |
| P302 + P352 | IF ON SKIN: Wash with plenty of soap and water. |
| P304 + P340 | IF INHALED: Remove to fresh air and keep at rest in a position comfortable |
| | for breathing. |
| P305 + | IF IN EYES: Rinse cautiously with water for several minutes. Remove |
| P351+P338 | contact lenses, if present and easy to do. Continue rinsing. |
| P332 + P313 | If skin irritation occurs: Get medical advice/ attention. |

| Storage Code | Storage Statement |
|--------------|--|
| P405 | Store locked up. |
| P403 + P233 | Store in a well-ventilated place. Keep container tightly closed. |

| Disposal Code | Disposal Statement |
|---------------|--|
| P501 | Dispose of according to Local Regulations or Authorities |

Section 3. Composition / Information on Hazardous Ingredients

| Ingredients | Wt% | CAS NUMBER. |
|--|--------|---------------------|
| Hatuma Dicalcic Phosphate | 50-60 | Mixture containing: |
| | | 471-34-1 |
| | | 10101-41-4 |
| | | 7757-93-9 |
| | | 7789-75-5 |
| Limestone | 30-50 | Proprietary |
| Other ingredients that do not contribute hazardous composition | To bal | Proprietary |

Section 4. First Aid Measures

Routes of Exposure:

If in Eyes Rinse cautiously with water for 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice.

If on Skin Wash with plenty of soap and water. Take off contaminated clothing and

wash before re-use. If skin irritation occurs: get medical advice/attention.

If Swallowed Rinse mouth. Never give anything to the mouth of an unconscious person.

If vomiting occurs, place victim face downwards, with the head turned to the side and lower than the hips to prevent vomit entering the lungs.

Immediately call a POISON CENTER or doctor/physician.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen

remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if

breathing becomes difficult.

Most important symptoms and effects, both acute and delayed

Inhaled: May cause respiratory irritation.

Skin: Causes skin irritation.

Eyes: Causes serious eye damage.

Section 5. Fire Fighting Measures

Product Name: HDP 6S SDS Prepared by: Technical Compliance Consultants (NZ) Ltd

Date of SDS: 1 March 2023 Tel: 64 9 475 5240 www.techcomp.co.nz

| Hazard Type | Non Flammable |
|--|--|
| Hazards from combustion products | Oxides of carbon, possible toxic fumes may be generated during fire such as phosphorus oxides (POx), sulfur oxides (SOx), metal oxides |
| Suitable Extinguishing media | Use extinguishing media suitable for surrounding area. |
| Precautions for firefighters and special protective clothing | Wear self-contained breathing apparatus and chemical protective clothing in the event of a fire. |
| HAZCHEM CODE | None allocated |

Section 6. **Accidental Release Measures**

Wear protective equipment as detailed in Section 8. Clear area of any unprotected personnel. Remove all sources of ignition.

Use mechanical handling equipment for cleanup. Dispose of according to Section 13.

Do not allow to enter into surface water or drains.

Section 7. **Handling and Storage**

Precautions for Handling:

- Keep out of reach of children.
- Read label before use.
- Avoid breathing dusts.
- Wash hands thoroughly after handling.
- Use only outdoors or in a well-ventilated area.
- Wear protective clothing.

Precautions for Storage:

- Store away from incompatible materials listed in Section 10.
- Store locked up.
- Store in a well-ventilated place. Keep container tightly closed.
- Store only in original container.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

TWA STEL **Substance** ppm mg/m³ ppm mg/m³

No ingredients have exposure limits

Workplace Exposure Standard - Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices APRIL 2022 13TH EDITION.

Engineering Controls

Ensure adequate ventilation is available.

Personal Protection Equipment



Product Name: HDP 6S SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 1 March 2023

Tel: 64 9 475 5240 www.techcomp.co.nz

| Eyes | Tightly fitting safety glasses with side shields. Avoid wearing contact lenses. |
|-------------|---|
| Hands | Wear protective gloves eg, Butyl or Neoprene. Wear protective clothing. |
| Skin | Full cover clothing covering arms and legs. |
| Respiratory | Use respiratory protection in areas of poor ventilation. |

Section 9 Physical and Chemical Properties

| Appearance | Divided solid, particles of various sizes; slightly mixes with water |
|--------------------------|--|
| Colour | Grey-beige with golden and yellow particles |
| Odour | None |
| Odour Threshold | Not available |
| pH | Not available |
| Boiling Point | Not available |
| Melting Point | Not available |
| Freezing Point | Not available |
| Flash Point | Not available |
| Flammability | Not available |
| Upper and Lower | Not available |
| Explosive Limits | |
| Vapour Pressure | Not available |
| Vapour Density | Not available |
| Relative Density | Not available |
| Water Solubility | Partly Miscible |
| Partition Coefficient: | Not available |
| Auto-ignition | Not available |
| Temperature | |
| Decomposition | Not available |
| Temperature | |
| Kinematic Viscosity | Not available |
| Particle Characteristics | Divided solid, particles of varying sizes |

Section 10. Stability and Reactivity

| Stability of Substance | This product is stable under normal conditions. | |
|--------------------------------|--|--|
| Conditions to Avoid | Extreme temperatures, moisture | |
| Incompatible Materials | Strong acids, bases, oxidising agents, alcohols, triazenes | |
| Hazardous Decomposition | Oxides of carbon, possible toxic fumes may be generated during | |
| Products | fire such as phosphorus oxides (POx), sulfur oxides (SOx), | |
| | metal oxides | |

Toxicological Information Section 11

Acute Effects:

| Swallowed | Not applicable. |
|------------|-----------------------------------|
| Dermal | Not applicable. |
| Inhalation | May cause respiratory irritation. |
| Eye | Causes serious eye damage. |
| Skin | Causes skin irritation. |

Chronic Effects:

| Carcinogenicity | Not applicable. |
|-----------------|-----------------|
| Reproductive | Not applicable. |
| Toxicity | |
| Germ Cell | Not applicable. |
| Mutagenicity | |

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Tel: 64 9 475 5240 www.techcomp.co.nz Product Name: HDP 6S

Date of SDS: 1 March 2023

| Aspiration | Not applicable. |
|------------|-----------------|
| STOT/SE | Not applicable. |
| STOT/RE | Not applicable. |

Section 12. Ecotoxicological Information

This product is not hazardous to the environment.

| Persistence and degradability | No data available |
|-------------------------------|-------------------|
| Bioaccumulation | No data available |
| Mobility in Soil | No data available |
| Other adverse effects | No data available |

Section 13. Disposal Considerations

Disposal Method:

Triple rinse container. Cleaned packaging maybe offered for recycling or landfill in accordance with local regulations. Dispose of unwanted product as a hazardous material according to Local Regulations.

Precautions and methods to avoid:

Do not allow to enter into surface water or drains where possible.

Section 14 Transport Information

This product is NOT classified as a Dangerous Good for transport in NZ; NZS 5433:2020

Section 15 Regulatory Information

EPA Approval Code: Fertilisers (subsidiary) - HSR002571

| HSW (HS) Regulations 2017 and EPA Notices | Trigger Quantity |
|---|------------------------------------|
| Certified Handler | Not required |
| Location Certificate | Not required |
| Tracking Trigger Quantities | Not required |
| Signage Trigger Quantities | 1000kg |
| Emergency Response Plan | 10 000kg |
| Secondary Containment | 10 000kg |
| Restriction of Use | Only use for the intended purpose. |

| Section 16 | Other Information |
|------------------|---|
| Glossary | |
| Cat | Category |
| EC ₅₀ | Median effective concentration. |
| EEL | Environmental Exposure Limit. |
| EPA | Environmental Protection Authority |
| HSNO | Hazardous Substances and New Organisms. |
| HSW | Health and Safety at Work. |
| LC ₅₀ | Lethal concentration that will kill 50% of the test organisms |
| | inhaling or ingesting it. |
| LD ₅₀ | Lethal dose to kill 50% of test animals/organisms. |
| LEL | Lower explosive level. |
| OSHA | American Occupational Safety and Health Administration. |
| TEL | Tolerable Exposure Limit. |
| TLV | Threshold Limit Value-an exposure limit set by responsible |
| | authority. |
| UEL | Upper Explosive Level |
| WES | Workplace Exposure Limit |
| | |

Product Name: HDP 6S SDS Prepared by: Technical Compliance Consultants (NZ) Ltd

Date of SDS: 1 March 2023 Tel: 64 9 475 5240 www.techcomp.co.nz

References:

- EPA Hazardous Substances (Safety Data Sheets) Notice 2017
- Workplace Exposure Standards and Biological Exposure Indices April 2022 edition. 2.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2020
- 5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-todate information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand distributor, if further information is required.

1 March 2023 1 March 2028 Issue Date: Review Date:

Product Name: HDP 6S SDS Prepared by: Technical Compliance Consultants (NZ) Ltd

Date of SDS: 1 March 2023 Tel: 64 9 475 5240 www.techcomp.co.nz