

SAFETY DATA SHEET

Section 1. Identification of the material and the supplier

Product:	Hatuma Potato Fertiliser
Product Use:	Potato Fertiliser
Restriction of Use:	Refer to Section 15
New Zealand Supplier:	Hatuma Lime Company Ltd
Address:	520 Maharakeke Road RD1, Waipukurau, 4281
Telephone:	+64 6 858-8567
Fax Number:	+64 6 858-8018
Emergency Telephone:	0800 764 766 (National Poison Centre)
Date of SDS Preparation:	20 April 2023 v2

Section 2. Hazards Identification

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval No: Fertilisers (subsidiary) – HSR002571

Pictograms



Irritant



Corrosive

Signal Word: **DANGER**

GHS Classification and Category	Hazard Code	Hazard Statement
Skin irritation Cat. 2	H315	Causes skin irritation.
specific target organ toxicity – single exposure Cat. 3 respiratory tract irritation	H335	May cause respiratory irritation.
Serious eye damage Cat. 1	H318	Causes serious eye damage.

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P261	Avoid breathing dusts.
P264	Wash hands thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective clothing.

Response Code	Response Statement
---------------	--------------------

P101	If medical advice is needed, have product container or label at hand.
P310	Immediately call a POISON CENTER or doctor/physician.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P362	Take off contaminated clothing and wash before re-use.
P391	Collect spillage.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.

Storage Code	Storage Statement
P405	Store locked up.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.

Disposal Code	Disposal Statement
P501	Dispose of according to Local Regulations or Authorities

Section 3. Composition / Information on Hazardous Ingredients

Ingredients	Wt%	CAS NUMBER.
Dicalcic	40-50	Proprietary
Muriate of Potash	15-25	7447-40-7
Dolomite	5-10	Proprietary
Sulphate of Ammonia	5-10	7783-20-2
Non hazardous	To bal	

Section 4. First Aid Measures

Routes of Exposure:

If in Eyes	Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
If on Skin	Wash with plenty of soap and water. Take off contaminated clothing and wash before re-use. If skin irritation or rash occurs: get medical advice/attention.
If Swallowed	Rinse mouth. Never give anything to the mouth of an unconscious person. If vomiting occurs, place victim face downwards, with the head turned to the side and lower than the hips to prevent vomit entering the lungs. Immediately call a POISON CENTER or doctor/physician.
If Inhaled	Remove person to fresh air. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if breathing becomes difficult.

Most important symptoms and effects, both acute and delayed

Symptoms:

Ingestion:	May be harmful if swallowed.
Inhalation:	May cause respiratory irritation.
Skin:	Causes skin irritation.
Eye:	Causes serious eye damage.

Section 5. Fire Fighting Measures

Hazard Type	Non Flammable
Hazards from combustion products	Oxides of carbon, possible toxic fumes
Suitable Extinguishing media	Use extinguishing media appropriate for surrounding fire.
Precautions for firefighters and special protective clothing	Fire fighters to wear self-contained breathing apparatus and suitable protective clothing.
HAZCHEM CODE	2T

Section 6. Accidental Release Measures

Wear protective equipment as detailed in Section 8. Clear area of any unprotected personnel.

Avoid generating dust. Wear appropriate protective clothing to prevent skin and eye contact. Avoid breathing in dust. Contain spill and sweep or vacuum up, collect spilled product and place in properly labelled, sealable container for reuse or disposal.

Dispose according to Local Regulations.

Section 7. Handling and Storage**Precautions for Handling:**

- Keep out of reach of children.
- Read carefully and follow all instructions.
- Avoid breathing dust and fumes.
- Wash hands thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Use only outdoors or in a well-ventilated area.
- Wear protective clothing.

Precautions for Storage:

- Store away from incompatible materials listed in Section 10.
- Store locked up.
- Store in a well-ventilated place. Keep container tightly closed.
- Store only in original container.

Section 8 Exposure Controls / Personal Protection**WORKPLACE EXPOSURE STANDARDS (provided for guidance only)**

Substance	TWA		STEL	
	ppm	mg/m ³	ppm	mg/m ³

No ingredients have exposure limits.

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices APRIL 2022 13TH EDITION.

Engineering Controls

Handle in a well-ventilated area or outside; ensure ventilation is adequate to maintain air concentrations below exposure standards. If dust is generated use local extraction to control. Avoid inhalation of dust. Keep containers closed when not in use.

Personal Protection Equipment



Eyes	Tightly fitting safety glasses with side shields. Avoid wearing contact lenses.
Skin	Wear rubber gloves. Wear protective clothing.
Respiratory	Use respiratory protection in areas of poor ventilation.

Section 9 Physical and Chemical Properties

Appearance	Divided solid, particles of various sizes; slightly mixes with water
Colour	Grey-beige with brown fibres and pink, red, orange or brown crystals.
Odour	None
Odour Threshold	Not available
pH	Not available
Boiling Point	Not available
Melting Point	Not available
Freezing Point	Not available
Flash Point	Not available
Flammability	Not available
Upper and Lower Explosive Limits	Not available
Vapour Pressure	Not available
Vapour Density	Not available
Relative Density	Not available
Water Solubility	Partly Miscible
Partition Coefficient:	Not available
Auto-ignition Temperature	Not available
Decomposition Temperature	Not available
Kinematic Viscosity	Not available
Particle Characteristics	Divided solid, particles of varying sizes

Section 10. Stability and Reactivity

Stability of Substance	This product is stable under normal conditions.
Conditions to Avoid	Extreme temperatures, excessive moisture
Incompatible Materials	None known.
Hazardous Decomposition Products	Oxides of carbon, possible toxic fumes

Section 11 Toxicological Information

Acute Effects:

Swallowed	Not applicable.
Dermal	Not applicable.
Inhalation	May cause respiratory irritation.
Eye	Causes serious eye damage.
Skin	Causes skin irritation.

Chronic Effects:

Product Name: Potato Fertiliser
Date of SDS: 20 April 2023

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd
Tel: 64 9 475 5240 www.techcomp.co.nz

Carcinogenicity	Not applicable.
Reproductive Toxicity	Not applicable.
Germ Cell Mutagenicity	Not applicable.
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	Not applicable.

Section 12. Ecotoxicological Information

This product is not hazardous to the environment.

Persistence and degradability	No data available
Bioaccumulation	No data available
Mobility in Soil	No data available
Other adverse effects	No data available

Ammonium Sulphate (Cas 7783-20-2)

9.1D (fish) SPECIES: Catla catla

TYPE OF EXPOSURE:

DURATION: 96 hr

ENDPOINT: LC50

VALUE: 48 mg/l

REFERENCE SOURCE: BASF AG Ludwigshafen (36) Konar S.K. and Sarkar S.K.: Geobis 10, 6-9, (1983). [IUCLID 2000]

Biocumulative: No

Rapidly Degradable: Yes

9.1D (crustacean) SPECIES: Crangon crangon (Crustacea)

TYPE OF EXPOSURE:

DURATION: 96 hr

ENDPOINT: EC50

VALUE: 81 - 130 mg/l

REFERENCE SOURCE: BASF AG Ludwigshafen Salzwasser (47) Franklin, F.L.: Min. Agric., Fish. Food, Tech. Rep. No.61, Lowestoft, UK, 8 p., (1980). [IUCLID 2000]

Biocumulative: No

Rapidly Degradable: Yes

9.3C SPECIES: Mouse

ENDPOINT: LD50

VALUE: 640 mg/kg

REFERENCE SOURCE: REPSOL QUIMICA, S.A. MADRID (66) Gigena Sanitariya. 53(2),93,88. [IUCLID 2000]

Section 13. Disposal Considerations

Disposal Method:

Triple rinse container. Cleaned packaging maybe offered for recycling or landfill in accordance with local regulations. Dispose of unwanted product as a hazardous material according to Local Regulations.

Precautions and methods to avoid: None known.

Section 14 Transport Information

Section 15 Regulatory Information

EPA Approval Code: Fertilisers (subsidiary) – HSR002571

HSW (HS) Regulations 2017 and EPA Notices	Trigger Quantity
Certified Handler	Not required
Location Certificate	Not required
Tracking Trigger Quantities	Not required
Signage Trigger Quantities	1000kg
Emergency Response Plan	10 000kg
Secondary Containment	10 000kg
Restriction of Use	Only use for the intended purpose.

Section 16 Other Information

Glossary

Cat	Category
EC ₅₀	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority
HSNO	Hazardous Substances and New Organisms.
HSW	Health and Safety at Work.
LC ₅₀	Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.
LD ₅₀	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
OSHA	American Occupational Safety and Health Administration.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible authority.
UEL	Upper Explosive Level
WES	Workplace Exposure Limit

References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
2. Workplace Exposure Standards and Biological Exposure Indices April 2022 edition.
3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
4. Transport of Dangerous goods on land NZS 5433:2020
5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand distributor, if further information is required.

Issue Date: 20 April 2023 Review Date: 20 April 2028